

ATTACHMENT B Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently Amended) A keyboard comprising:
a housing defining a non-integral personal computer keyboard;
a plurality of keys disposed within the housing;
a communications link disposed within the housing, wherein the communications link is capable of communicating with a remote computer; and,
a connector operatively coupled to the communications link, said connector being disposed within the housing and being receptive to a corresponding connector of a device such that the device communicates with the computer over the communications link when the connectors are coupled.
2. (Currently Amended) The keyboard of claim 1, wherein the housing has a plurality of surfaces defining a cradle cavity into which the connector is disposed, the cradle cavity being shaped so that the device fits into the cavity such that at least one surface of the device is exposed.
3. (Original) The keyboard of claim 2, wherein the cradle cavity is shaped so that the device fits into the cavity such that at least a front surface of the device is exposed.
4. (Original) The keyboard of claim 2, wherein the cradle cavity is shaped so that the device fits into the cavity such that at least a top surface of the device is exposed.
5. (Original) The keyboard of claim 1, wherein the housing has an end surface into which the connector is disposed, the connector of the device coupling the connector of the housing such that at least one of a top surface and a bottom surface of the device is flush with a corresponding surface of the housing.

6. (Currently Amended) The keyboard of claim 1, wherein the communications link comprises at least a cable for connecting the keyboard to the remote computer.
7. (Original) The keyboard of claim 6, wherein the cable is a Universal Serial Bus (USB) compatible cable.
8. (Original) The keyboard of claim 6, wherein the communications link also comprises at least a radio frequency (RF) transceiver.
9. (Original) The keyboard of claim 1, further comprising a recharger operatively coupled to the connector of the keyboard to recharge a battery of the device when the connectors are coupled.
10. (Original) The keyboard of claim 1, further comprising a power source disposed within the housing.
11. (Original) The keyboard of claim 1, wherein the device is a personal digital assistant (PDA) device operable in a docking mode when the connectors are coupled and operable in a standalone mode when the connectors are uncoupled.
12. (Cancelled)
13. (Original) The keyboard of claim 1, wherein the device communicates with the computer in a docking mode when the connectors are coupled and in a stand-alone mode via a wireless transceiver of the device communicating with a corresponding wireless transceiver of the computer.
14. (Currently Amended) The keyboard of claim 1, wherein the device is a touch screen device having at least one changeable virtual key that interacts with the computer.

15. (Original) The keyboard of claim 1, wherein the device includes a power source.

16. (Original) The keyboard of claim 1, wherein the device is selected from the group of devices comprising a remote control for a television, a digital video disc (DVD) player, a compact disc (CD) player, and a telephone handset.

17. (Previously presented) A keyboard comprising:
a housing defining a non-integral personal computer keyboard;
a plurality of keys disposed within the housing;
a communications link disposed within the housing to communicatively couple the keyboard to the computer; and,
a communications link disposed within the housing, wherein the communications link is capable of communicating with a computer; and,
a connector disposed within the housing and receptive to a corresponding connector of a personal digital assistant (PDA) device such that the PDA device communicates with the computer over the communications link when the connectors are coupled.

18. (Currently Amended) A keyboard comprising:
a housing defining a non-integral personal computer keyboard;
a plurality of keys disposed within the housing;
a communications link disposed within the housing to communicatively couple the keyboard to the computer; and,
a communications link disposed within the housing, wherein the communications link is capable of communicating with a computer; and,
a connector disposed within the housing and receptive to a corresponding connector of a personal digital assistant (PDA) device such that the PDA device communicates with the computer over the communications link when the connectors are coupled,

said housing ~~has~~having a plurality of surfaces defining a cradle cavity into which the connector is disposed, and the cradle cavity being shaped so that the PDA device fits into the cavity such that at least one surface of the device is exposed.

19. (Cancelled)

20. (Previously presented) A keyboard comprising:
a housing defining a non-integral personal computer keyboard;
a plurality of keys disposed within the housing;
a communications link disposed within the housing, wherein the communications link is capable of communicating with a computer; and,
a connector disposed within the housing and receptive to a corresponding connector of a device having a touch screen such that the device communicates with the computer over the communications link when the connectors are coupled.

21. (Original) The keyboard of claim 20, wherein the housing has an end surface into which the connector is disposed, the connector of the device coupling the connector of the housing such that at least one of a top surface and a bottom surface of the device is flush with a corresponding surface of the housing.

22.-28. (Cancelled)

29. (New) The keyboard of claim 20 wherein said housing includes a cradle cavity in which the device nests and which includes a support surface on which a major surface of the device rests.

30. (New) The keyboard of claim 1 wherein said housing includes a cradle cavity in which the device nests and which includes a support surface on which a major surface of the device rests.